




453245 ISS T 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed:  $n=1450^{-1}$  50 Hz  
 Impeller: Max. dia 170 mm  
 Min. dia 110 mm  
 Pump inlet: 101,6 mm  
 Pump outlet: 76 mm

Performance data refer to water at 20°C  
 Permissible tolerance  $\pm 5\%$






453245 ISS T 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed:  $n=2900^{-1}$  50 Hz  
 Impeller: Max. dia 170 mm  
 Min. dia 110 mm  
 Pump inlet: 101,6 mm  
 Pump outlet: 76 mm

Performance data refer to water at 20°C  
 Permissible tolerance  $\pm 5\%$






453245 ISS T 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed:  $n=1750^{-1}$  60 Hz  
 Impeller: Max. dia 170 mm  
 Min. dia 110 mm  
 Pump inlet: 101,6 mm  
 Pump outlet: 76 mm

Performance data refer to water at 20°C  
 Permissible tolerance  $\pm 5\%$



453245 ISS T 10.08

NOTE: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Speed:  $n=3500^{-1}$  60 Hz  
 Impeller: Max. dia 170 mm  
 Min. dia 110 mm  
 Pump inlet: 101,6 mm  
 Pump outlet: 76 mm

Performance data refer to water at 20°C  
 Permissible tolerance  $\pm 5\%$

